

LIDO

Wall and ceiling lamp, with diffuser in opal blown glass and base in white epoxy-coated metal. LED version available for Ø25/30cm.



? 25 E27 FLUO/LED/HALO

LAMPING

Source	E27 A60
Total power	75W
Emission	diffused
Switching	dimnable, according to bulb
Tension	230V
Materials	metal + glass

Codes

LID EWW 41

Structure/Diffuser


white/opal white

PACKAGE

Package 01

30x30x20 cm / Gross weight: 2.5 Kg

Certificazioni



? 25 LED

LAMPING

Source	LED board
Total power	8W
Emission	diffused
Tension	110 / 220 V
Color temperature	2700K
Luminous flux	1000lm
Typ cri	80
Energy class	A+
Materials	metal + glass


Codes

LID LWW 41

Structure/Diffuser

white/opal white

Certificazioni



? 30 E27 FLUO/LED/HALO

LAMPING

Source	E27 A60
Total power	100W
Emission	diffused
Switching	dimnable, according to bulb
Tension	230V
Materials	metal + glass

Codes

LID EWW 42

Structure/Diffuser


white/opal white

PACKAGE

Package 01

40x40x20 cm / Gross weight: 2.9 Kg

Certificazioni



? 30 LED

LAMPING

Source	LED board
Total power	8W
Emission	diffused
Tension	110 / 220 V
Color temperature	2700K
Luminous flux	1000lm
Typ cri	80
Energy class	A+
Materials	metal + glass

Codes

LID LWW 42

Structure/Diffuser

white/opal white

PACKAGE

Package 01

40x40x20 cm / Gross weight: 2.5 Kg

Certificazioni

