

# TUBES 1 WALL

*Charles Kalpakian*

Family of pendant, wall and ceiling lamps, with elements in extruded aluminium. Opal polycarbonate diffusers, for a warm and ambient lighting. Adjustable elements in the wall versions. Available also with dimmer push on the body of the lamp. Ceiling version with a 340° rotation for the ceiling fixed element while the other element is adjustable by 90°.



# PUSH

---

## LAMPING

Source	LED board
Total power	5,5W
Emission	orientable, spot
Switching	dimmable PUSH
Tension	230V
Color temperature	230V
Luminous flux	500lm
Typ cri	80
Materials	aluminium
Notes	orientable, also available in 120V

## Codes

TTB LNN 34

TTB LWC 34

TTB LWW 34

## Certificazioni




## Structure

black/black

white/copper

white/white



# TRIAC

---

## LAMPING

Source	LED board
Total power	5W
Emission	orientable, spot
Switching	dimmable TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	500lm
Typ cri	80
Materials	aluminium
Notes	orientable, also available in 120V

## Codes

TTB LWC 31  
TTB LWW 31  
TTB LNN 31

## Structure

white/copper  
white/white  
black/black

## Certificazioni

