

FLACA

Roberto Paoli

Wall lamp, double output for a flood uplight and downlight. Die-casted aluminium, with sandblasted Pyrex diffuser or opal metacrylate for the LED version. Body painted in matt white, moka, champagne or anthracite. Suitable for installation on inflammable surfaces. Dimmable.



HALO

LAMPING

Source	R7s QT-DE (114mm)
Total power	160W
Emission	up + down
Switching	dimnable
Tension	230V
Ip class	20
Materials	aluminium + glass

Codes

FLA HWW 31
FLA HXW 31
FLA HBW 31
FEF HDW 31


Structure

white
anthracite
moka
champagne

PACKAGE

Package 01 20x11x40 cm / Gross weight: 2.5 Kg

Certificazioni



LED 1-10V

LAMPING

Source	2xLED board
Total power	20W + 10W
Emission	up + down
Switching	dimmable 1-10 V
Tension	120/240V
Color temperature	3000K
Luminous flux	2000lm + 1000lm
Typ cri	83
Energy class	A+
Materials	aluminium + methacrylate

Codes

FLA LWW 32
FLA LXW 32
FLA LBW 32
FLA LDW 32


Structure

white
anthracite
moka
champagne

PACKAGE

Package 01 20x11x40 cm / Gross weight: 2.5 Kg

Certificazioni



LED TRIAC

LAMPING

Source	2xLED board
Total power	20W + 10W
Emission	up + down
Switching	dimnable TRIAC
Tension	240V
Color temperature	3000K
Luminous flux	2000+1000lm
Typ cri	83
Energy class	A+
Materials	aluminium + methacrylate

Codes

FLA LDW 33
FLA LBW 33
FLA LXW 33
FLA LWW 33

Structure

champagne
moka
anthracite
white

PACKAGE

Package 01 20x11x40 cm / Gross weight: 2.5 Kg

Certificazioni

