

APPLIQUE À VOILET PIVOTANT

Charlotte Perriand

Wall lamps with aluminium adjustable volet and metal body. Body painted in white, volet natural anodized, black anodized or mirror polished stainless steel. For the small versions E14 and LED, volet could be painted in red, yellow or blue. E14 version with integrated switch, cable and plug for a simple and free installation. Indirect output towards the wall and orientable flood beam.



E14 HALO/FLUO/LED

LAMPING

Source	E14 QT-DE
Total power	40W
Emission	indirect orientable
Switching	dimmable according to bulb, switch on board
Tension	230V
Materials	aluminium
Notes	orientable, bulb \varnothing max 3cm, with external cable plug (removable), cable lenght 1,10m

Codes

AVP EWD 31
AVP EWN 31
AVP EWR 31
AVP EWG 31
AVP EWB 31
AVP EWH 31


Structure

white/aluminium
white/black
white/red
white/yellow
white/blue
white/inox

PACKAGE

Package 01 15x24x10 cm / Gross weight: 0.9 Kg

Certificazioni



LED

LAMPING

Source	LED board
Total power	10W
Emission	indirect orientable
Tension	110/230V
Color temperature	3000K
Luminous flux	1000lm
Typ cri	83
Energy class	A+
Materials	aluminium
Notes	orientable

Codes

AVP LWD 31
AVP LWN 31
AVP LWR 31
AVP LWG 31
AVP LWB 31
AVP LWH 31


Structure

white/aluminium
white/black
white/red
white/yellow
white/blue
white/inox

PACKAGE

Package 01 15x24x10 cm / Gross weight: 0.9 Kg

Certificazioni



R7S HALO

LAMPING

Source	R7s (75mm)
Total power	80W
Emission	indirect orientable
Switching	dimmable
Tension	230V
Materials	aluminium
Notes	orientable

Codes

AVP HWD 31

AVP HWN 31

AVP HWH 31

Structure

white/aluminium

white/black

white/inox

PACKAGE

Package 01 15x24x10 cm / Gross weight: 0.9 Kg

Certificazioni

